





SpeedFusion Relay Peplink router Supercharge your home router into an extra endpoint for your SpeedFusion Network Any home router Internet access like you never left The SF Relay allows you to access the Internet through your router even if you're physically away from it.

SpeedFusion Relay



Access devices in your network through a private tunnel

With InTouch, users can access all services and applications hosted on devices within a network from outside the network.





Flexible remote support

For service providers, plug in the SF Relay to your customers' device and have **tech support** access their router without leaving the office.






Plug and Play

Installation is **straightforward and simple**. Plug in the SF Relay to your router and voilà, a new addition to your **SpeedFusion network**.

SpeedFusion Relay







Specification

Ethernet Port 1x 10/100/1000M Ethernet

Speedfusion VPN 100 Mbps **throughput (No Encryption)**

Speedfusion VPN 60 Mbps throughput (256-bit AES)

Enclosure Plenum-rated, Indoor Plastic

Power Input 12V DC Connector

802.3af PoE

Power Consumption 12 W (max)

Dimension 3.9 x 3.9 x 0.8 inches

98 x 98 x 19.7 mm

Weight 0.33 pounds / 150 grams

Operating Temperature 23° – 113°F / -5° – 45°C

Humidity 15% – 95% (non-condensing)

Package Content SpeedFusion Relay

1x 12V2A Power Supply (ACW-601)

1x Mounting Bracket

Warranty 1-Year Limited Warranty

Ordering Information

Product Code Description

SFC-RLY SpeedFusion Relay

SpeedFusion Relay



